

EXP. (B)

6200000208191

KEEP OUT OF REACH OF CHILDREN

Advil

children 7-12 years


Pain & Fever Relief

Ibuprofen 100 mg

UP to 8hr Fever Relief


raspberry flavour

AUST R 178642



20 Chewable Tablets

HALEON



9 310488 000319

Medicine Information (continued)

While using this product:

- Stop use and ask your doctor immediately if you see an allergic reaction including skin reddening, rash or blisters or if pain or fever gets worse or lasts for more than a few days
- Stop use and ask your doctor immediately if you see blood in the vomit or bloody or black stools
- Do not use for more than a few days at a time unless a doctor has told you to. Do not exceed the recommended dose. Excessive or prolonged use can be harmful and increase the risk of heart attack, heart disease, stroke or liver damage
- Side effects may be minimised by using the smallest dose for the shortest duration of time
- In case of accidental overdose, stop use and contact immediately the Poisons Information Centre (Australia 13 11 26)

Contains:

- Phenylketonurics are warned that this product contains aspartame and phenylalanine
- Sugar alcohols (6.3 g per max. daily dose). Products containing sugar alcohols may have a laxative effect or cause diarrhoea

Continued on panel below... ▶

Medicine Information (continued)

Directions for Use:

- Use weight to dose if possible; otherwise use age
- Tablets should be chewed, not to be swallowed whole
- If the child is unable to chew, the tablets may be crushed and mixed with water, jam or honey

Age	Avg Body Weight	How Much	Time Between Each Dose	Maximum
7 to under 9 years	22 to 28 kg	2 tablets	6 - 8 hours (as necessary)	4 doses in 24 hours
9 to under 11 years	28 to 36 kg	2½ tablets	6 - 8 hours (as necessary)	4 doses in 24 hours
11 to 12 years	36 to 41 kg	3 tablets	6 - 8 hours (as necessary)	4 doses in 24 hours

Other Information:

- Store below 25°C
- Do not use if foil seal under cap is broken or missing

Haleon
Sydney, NSW, Australia
AU: 1800 028 533
www.advil.net.au

Trade Marks are owned by or licensed to the Haleon group of companies.
©2023 Haleon group of companies or its licensor.

Medicine Information

Active Ingredient
Each chewable tablet contains Ibuprofen 100 mg

Uses
Advil Children 7-12 Years reduces fever and provides temporary relief of pain and discomfort associated with:

- Earache
- Sore Throat
- Headache
- Minor Aches
- Cold and Flu
- Sprains and Strains

Warning

Do not use this product:

- In children under 7 years
- If you are aged 65 years or older
- If your child has a current or past history of a stomach ulcer or bleeding disorder
- If your child has impaired kidney function or heart failure
- If your child is allergic to ibuprofen, aspirin or other

anti-inflammatory medicines or any other component of this product

- If you are pregnant, or trying to become pregnant

Ask your doctor before use if:

- Your child has asthma, urticaria or rhinitis, high blood pressure, heart or liver disease, stomach pain or indigestion
- Your child has not been taking fluids or has lost fluids due to vomiting or diarrhoea
- Your child is taking other medicines regularly or medicines containing ibuprofen, aspirin or other anti-inflammatory ingredients or blood thinners
- Your child is taking aspirin for heart attack or stroke because ibuprofen may decrease this benefit of aspirin
- Your child is under doctor's care for a serious condition
- You are breastfeeding

Continued on panel below... ▶