

PHARMACY MEDICINE
KEEP OUT OF REACH OF CHILDREN

HALEON

1-5

YEARS

Paracetamol 24 mg/mL

FAST PAIN RELIEF

Sentle on stomach

100 mL Strawberry Flavour Colourfree suspension

Panadol

Children



PHARMACY MEDICINE
KEEP OUT OF REACH OF CHILDREN

Panadol

Children

HALEON

YEARS

Reduces fever

100 mL

Gentle on stomach

Paracetamol 24 mg/mL

FAST PAIN RELIEF

1 1 8 5



1-5

This suspension contains PARACETAMOL 24 mg/mL WHAT THIS MEDICINE IS USED FOR

Effective temporary relief of fever and pain associated with:

• Teething • Immunisation • Earache

• Headache • Cold & flu symptoms

- WARNINGS

 Do not use this medicine

 If your child is using other medicines containing paracetamol, except on medical advice

 For more than 48 hours at a time, except on medical advice. Keep to the recommended dose.

 If any of the seals on this packaging are broken

 If the package use-by date has expired

 Ask a doctor before use if your child


 Has liver or kidney problems

 Weighs less than 10 kg or more than 41 kg
- Weighs less than 10 kg or more than 41 kg
 Stop use and see your doctor if your child
 Has an allergic skin reaction, shortness of breath or
 wheezing after taking this medicine
 While using this product
 If an overdose is taken or suspected, ring the Poisons
 Information Centre (AUST: 13 11 26) or go to the hospital
 immediately, even if your child feels well because of the
 risk of delayed, serious liver damage if left untreated.
 Keep to the recommended dose.
 Contains: sucralose, hydroxybenzoates, sorbitol
 (11.96 g/104 mL) and maltitol (38.58 g/104 mL) which
 may have a laxative effect or cause diarrhoea.

DIRECTIONS FOR USE

- Please read and retain the carton
 Shake the bottle well
 Use the dosing device provided to accurately measure
 Measure the correct dose based on the dosage table
 Calculate correct dose based on the dosage table
 Calculate correct dose based on child's weight.
 If weight is unknown, use the child's age.
 Repeat 4—6 hourly if required (maximum 4 times within 24 hours)
 Can be given with water or fruit juice if preferred by your child
 Further information is available via the QR code on the pack.

Con and a second



Using the dosing device

1 Push the plunger fully in to close the dosing device; then insert it firmly into the neck of the bottle.

2 Turn the bottle upside down and gently pull the correct dose for your child. The correct dose is at the point where the widest sides of the plunger meets the correct mL mark on the barrel of the dosing device (i.e. where the liquid ends as shown by ᢀ).

3 Turn the bottle upright and remove the device from the neck of the bottle by gently twisting it.



8

After using this medicine

Hand wash dosing device

Wipe the neck of the bottle clean

Push the cap down and turn it to close cap tightly, then turn backwards until you hear clicking sounds

Store below 30°C. Do not refrigerate. This medicine contains: No artificial colo

This medicine contains. No artificial colors Haleon Sydney, NSW, Australia Trade Marks are owned by or licensed to the Haleon group of companies.

©2023 Haleon group of companies or its licensor.

AU: 1800 028 533

www.childrenspanadol.com.au



9000646



Strawberry Flavour Colourfree suspension

