

1 2 0 1



5-12 YEARS



e-leaflet  
Please scan this code  
for more information  
about this medicine.

Raspberry Flavour  
oral liquid

PHARMACY MEDICINE  
KEEP OUT OF REACH OF CHILDREN  
HALEON



5-12  
YEARS  
ELIXIR  
Paracetamol 48 mg/mL

FAST PAIN RELIEF

Reduces fever  
Gentle on stomach

AUST R 15566



Raspberry Flavour  
oral liquid

200 mL

PHARMACY MEDICINE  
KEEP OUT OF REACH OF CHILDREN  
HALEON



5-12  
YEARS  
ELIXIR  
Paracetamol 48 mg/mL

FAST PAIN RELIEF

Reduces fever  
Gentle on stomach

AUST R 15566



Raspberry Flavour  
oral liquid

200 mL

ACTIVE INGREDIENTS

This oral liquid contains PARACETAMOL 48 mg/mL

WHAT THIS MEDICINE IS USED FOR

Effective temporary relief of fever and pain associated with:

- Teething • Immunisation • Earache
- Headache • Cold & flu symptoms

WARNINGS

Do not use this medicine

- If your child is using other medicines containing paracetamol, except on medical advice

- For more than 48 hours at a time, except on medical advice. Keep to the recommended dose
- If any of the seals on this packaging are broken
- If the package use-by date has expired

Ask a doctor before use if your child

- Has liver or kidney problems
- Weighs less than 10 kg or more than 41 kg

Stop use and see your doctor if your child

- Has an allergic skin reaction, shortness of breath or wheezing after taking this medicine

While using this product

If an overdose is taken or suspected, ring the Poisons Information Centre (Australia: 13 11 26) or go to the hospital immediately, even if your child feels well because of the risk of delayed, serious liver damage if left untreated. Keep to the recommended dose.

Contains: saccharin, benzoic acid, potassium sorbate and sorbitol (7.28 g/52 mL) which may have a laxative effect or cause diarrhoea.

DIRECTIONS FOR USE

- Please read and retain the carton
- Shake the bottle well
- Use the measuring cup provided to accurately measure
- Pour correct dose into the cup based on the dosage table
- Calculate correct dose based on child's weight. If weight is unknown, use the child's age.

DIRECTIONS FOR USE (continued)

Age	Average Weight	Dose
1-2 Yrs	10-12 kg	3-4 mL
2-3 Yrs	12-14 kg	4 mL
3-4 Yrs	14-16 kg	4-5 mL
4-5 Yrs	16-18 kg	5-6 mL
5-6 Yrs	18-20 kg	6 mL
6-7 Yrs	20-22 kg	6-7 mL
7-8 Yrs	22-25 kg	7-8 mL
8-9 Yrs	25-28 kg	8-9 mL
9-10 Yrs	28-32 kg	9-10 mL
10-11 Yrs	32-36 kg	10-11 mL
11-12 Yrs	36-41 kg	11-13 mL

- Repeat 4-6 hourly if required (maximum 4 times within 24 hours)
- Can be given with water or fruit juice if preferred by your child
- Further information is available via the QR code on the pack.

After using this medicine

- Hand wash measuring cup
- Wipe the neck of the bottle clean
- Push the cap down and turn it to close cap tightly, then turn backwards until you hear clicking sounds.

Store below 30°C. Do not refrigerate.

Haleon  
Sydney, NSW, Australia  
Trade Marks are owned by or licensed to the Haleon group of companies.  
©2023 Haleon group of companies or its licensor.

AU: 1800 028 533  
www.childrenspanadol.com.au

Continued →



9 300673 447395 >  
9000793



1 0 7 1