



2 2 0 4 2 2



EXCEDRIN

RAPID RELIEF

Acetaminophen 500 mg

Pain Reliever/Fever Reducer



160
CAPLETS



ACTUAL
SIZE

HALEON

READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE.
KEEP CARTON FOR REFERENCE. DO NOT DISCARD.

Do not use if inner safety seal under cap is broken or missing.

Drug Facts

Active ingredient (in each caplet) **Purposes**
Acetaminophen 500 mg..... Pain reliever/Fever reducer

Uses

- temporarily relieves minor aches and pains associated with:
 - headache
 - muscular aches
 - backache
 - minor pain from arthritis
 - the common cold
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

These could be signs of a serious condition.



2 2 4 0 2 2



EXCEDRIN

RAPID RELIEF

Acetaminophen 500 mg

Pain Reliever/Fever Reducer



160
CAPLETS

ACTUAL
SIZE



Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Overdose warning:

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years of age and over: take 2 caplets every 6 hours, while symptoms persist
- do not take more than 6 caplets in 24 hours unless directed by a doctor
- children under 12 years of age: ask a doctor

Other information

- each caplet contains: calcium 25 mg
- store at 20-25°C (68-77°F)
- close cap tightly after use

Inactive ingredients

alginate acid, calcium carbonate, carnauba wax, colloidal silicon dioxide, croscopolone, hypromellose, magnesium stearate, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, purified water, titanium dioxide

Questions or comments? 1-855-297-3031

Distributed by: Haleon, Warren, NJ 07059
Trademarks are owned by or licensed to the Haleon group of companies.
©2026 Haleon or licensor.

62000000224022



3 00674 35103 4

HALEON

EXCEDRIN

RAPID RELIEF

Acetaminophen 500 mg

Pain Reliever/Fever Reducer



PATENTED
FAST RELEASE
TECHNOLOGY

160
CAPLETS



ACTUAL
SIZE