

Drug Facts

Active ingredients (in each tablet) Purpose

Aluminum hydroxide 160mg	Antacid
Magnesium carbonate 105mg	Antacid

Uses relieves • acid indigestion • heartburn • sour stomach
• upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Antacids may interact with certain prescription drugs.
- if you are on a sodium-restricted diet

When using this product

- do not take more than 16 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- chew 2-4 tablets four times a day or as directed by a doctor
- take after meals and at bedtime or as needed
- for best results follow by a half glass of water or other liquid
- DO NOT SWALLOW WHOLE

Other information

- **Each tablet contains:** magnesium 35mg, sodium 20mg
- Store at up to 25°C (77°F) in a dry place

Inactive ingredients acesulfame k, alginic acid, artificial flavor, calcium stearate, corn starch, corn syrup solids, mannitol, sodium bicarbonate, stearic acid, sucrose

Questions or comments? call toll-free 1-800-452-0051
(English/Spanish) weekdays

For Position Only

©2024 Haleon or licensor.