parodontax ACTIVE GUM HEALTH

Drug Facts

Active ingredient

Purpose

Cetylpyridinium chloride 0.07%w/w.....

.....Antigingivitis, Antiplaque

Uses helps prevent and reduce plaque that leads to ■ gingivitis, an early form of gum disease ■ bleeding gums

Warnings

Stop use and ask a dentist if irritation occurs ignigivitis, bleeding, or redness persists for more than 2 weeks ignored used to support of the gum line, loose teeth, or increasing spacing between the teeth. These may be signs or symptoms of periodontitis, a serious form of gum disease.

Keep out of reach of children under 6 years of age. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ adults and children 6 years of age and older: vigorously swish 20 milliliters (4 teaspoonfuls) of rinse between your teeth twice a day for 30 seconds and then spit out. Do not swallow the rinse. Do not rinse with water. Do not drink from the bottle.
■ children under 6 years to under 12 years of age: supervise use
■ children under 6 years of age: do not use

Other information ■ this rinse is not intended to replace brushing or flossing ■ may cause staining ■ Do not store above 25°C or 77°F

Inactive ingredients Water, glycerin, flavor, poloxamer 188, sodium saccharin, propylene glycol, sodium benzoate, sucralose, benzoic acid, blue 1

Questions or comments? 1-855-328-5202

*Kills plaque bacteria associated with gingivitis and odor-causing bacteria in a laboratory test

Do not use if the printed seal on the cap is broken or missing.

ALWAYS FOLLOW THE LABEL

Distributed by: **GSK Consumer Healthcare**, Warren, NJ 07059
Trademarks are owned by or licensed to the GSK group of companies.

©2022 GSK group of companies or its licensor.

1-855-328-5202



53100¹¹33228

080042 L0020674BA 4.5