



Int. 2 of 5: 6941



6.875" [174.62 mm]



<b>Drug Facts</b>	
<b>Active ingredient</b> Stannous fluoride 0.454% (0.15% w/v fluoride ion).....	<b>Purposes</b> Anticavity, Antigingivitis
<b>Uses</b> • aids in the prevention of dental cavities. • helps control bleeding gums. • helps interfere with harmful effects of plaque associated with gingivitis.	
<b>Warnings</b> <b>Stop use and ask a dentist if</b> • gingivitis, bleeding, or redness persists for more than 2 weeks. • you have painful or swollen gums, pus from the gum line, loose teeth, or increasing spacing between the teeth. These may be signs or symptoms of periodontitis, a serious form of gum disease. <b>Keep out of reach of children under 6 years of age.</b> If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • adults and children 2 years of age and older: • brush teeth thoroughly, preferably after each meal at least twice a day, and not more than 3 times a day, or as directed by a	
<b>Drug Facts (continued)</b> dentist or doctor. Minimize swallowing. Spit out after brushing. • to minimize swallowing for children under 6 years of age, use a pea-sized amount and supervise brushing and rinsing until good habits are established. • children under 2 years of age: Consult a dentist or doctor.	
<b>Other information</b> • products containing stannous fluoride may produce surface staining of the teeth. Adequate toothbrushing may prevent these stains which are not harmful or permanent and may be removed by your dentist. • this product is specially formulated to help prevent staining. • do not store above 25°C (77°F)	
<b>Inactive ingredients</b> glycerin, PEG-8, hydrated silica, pentasodium triphosphate, flavor, sodium lauryl sulfate, titanium dioxide, polyacrylic acid, cocamidopropyl betaine, sodium saccharin	
<b>Questions or comments?</b> 1-866-844-2797 ALWAYS FOLLOW THE LABEL	

Int. 2 of 5: 6941

