Drug Facts Active ingredient

Purpose Phenylephrine HCI 0.25% Vasoconstrictor

Uses helps relieve the local itching and discomfort associated with hemorrhoids

- temporarily shrinks hemorrhoidal tissue temporarily reduces the swelling associated with irritation in hemorrhoids
- and other anorectal disorders

Warnings For rectal use only

Ask a doctor before use if you have

- heart disease high blood pressure ■ thyroid disease
 ■ diabetes
- difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression. When using this product do not exceed the recommended daily dosage
- unless directed by a doctor Stop use and ask a doctor if
- bleeding occurs condition worsens or does not improve within 7 days
- If pregnant or breast-feeding, ask a health professional before use Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows: hold suppository with the rounded end up
 - as shown, carefully separate foil tabs by inserting tip of fingernail at end marked "peel down" slowly and evenly peel apart (do not tear) foil by
 - pulling tabs down both sides, to expose the suppository remove exposed suppository from the wrapper insert one suppository into the rectum up to 4
- times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: consult a doctor Other information store at 20-25°C (68-77°F)

Inactive ingredients

cocoa butter, corn starch, methylparaben, propylparaben

Questions or comments?

Call weekdays 8 AM to 6 PM EST at 1-800-99PrepH or 1-800-997-7374