## Children's Robitussin Cough & Chest Congestion DM

**Do not take both products within 6 hours of each other.**

### Drug Facts

**Active ingredients (in each 20 mL) Purposes**
Dextromethorphan HBr 20 mg ..... Cough suppressant
Guaifenesin 200 mg ..... Expectorant

**Uses**
- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**
**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.
These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter

| age | dose |
|---|---|
| children under 4 years | do not use |
| children 4 to under 6 years | 5 mL every 4 hours |
| children 6 to under 12 years | 10 mL every 4 hours |
| adults and children 12 years and over | 20 mL every 4 hours |

**Other information**
- **each 20 mL contains:** sodium 21 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

## Children's Robitussin Cough & Chest Congestion DM (continued)

### Drug Facts (continued)

**Inactive ingredients**
anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, glycerin, liquid glucose, natural and artificial flavors, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium gluconate, sucralose, xanthan gum

**Questions or comments?** 1-855-297-3031

## Children's Robitussin Nighttime Cough Long-Acting DM

**Do not take both products within 6 hours of each other.**

### Drug Facts

**Active ingredients (in each 10 mL) Purposes**
Chlorpheniramine maleate, USP 2 mg ..... Antihistamine
Dextromethorphan HBr, USP 15 mg ..... Cough suppressant

**Uses**
- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat

**Warnings**
**Do not use**
- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**
- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product** ■ **do not use more than directed**
- marked drowsiness may occur
- avoid alcoholic drinks

## Children's Robitussin Nighttime Cough Long-Acting DM (continued)

### Drug Facts (continued)

- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- do not take more than 4 doses in any 24-hour period

| age | dose |
|---|---|
| children under 6 years | do not use |
| children 6 to under 12 years | 10 mL every 6 hours |
| adults and children 12 years and over | 20 mL every 6 hours |

**Other information**
- **each 10 mL contains:** sodium 6 mg
- store at 20-25°C (68-77°F)

**Inactive ingredients**
anhydrous citric acid, FD&C red no. 40, glycerin, lactic acid, natural and artificial flavors, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

**Questions or comments?** 1-855-297-3031

Distributed by: Haleon, Warren, NJ 07059
Made in Canada
©2026 Haleon group of companies or its licensor.
Trademarks are owned by or licensed to the Haleon group of companies.
For most recent product information, visit www.robitussin.com

**Packaged with Tamper-Evident bottle cap.**
**Do Not Use if breakable ring is separated or missing.**

DAY & NIGHT COUGH RELIEF VALUE PACK

Children's Robitussin

Cough + Chest Congestion DM | Nighttime Cough DM

NEW CLEAR BOTTLE



DAY & NIGHT COUGH RELIEF VALUE PACK

Children's Robitussin Cough + Chest Congestion DM

DEXTROMETHORPHAN HBr (Cough Suppressant)
GUAIFENESIN (Expectorant)

For Ages 4 & Over
- ✓ Controls Cough
- ✓ Relieves Chest Congestion
- ✓ Thins & Loosens Mucus



DM

Grape Flavor

Effective Cough Relief

4 FL OZ (118 mL)

Children's Robitussin Nighttime Cough DM

Long-Acting

CHLORPHENIRAMINE MALEATE (Antihistamine)
DEXTROMETHORPHAN HBr (Cough Suppressant)

For Ages 6 & Over
- ✓ Controls Cough up to 8 Hours
- ✓ Relieves Runny Nose
- ✓ Alcohol-Free



DM

Fruit Punch Flavor

Effective Cough Relief

4 FL OZ (118 mL)

NEW CLEAR BOTTLE

Robitussin

New Packaging, Same Effective Cough Relief



OLD NEW

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

3 00312 09499 6

62000000223452