

Drug Facts	Purposes
<b>Active ingredients (in each lozenge)</b> Dextromethorphan HBr 5 mg ..... Cough suppressant Menthol 5 mg ..... Oral anesthetic	
<b>Uses</b> temporarily relieves ■ cough due to minor throat and bronchial irritation as may occur with the common cold ■ occasional minor irritation, pain, sore mouth, and sore throat	
<b>Warnings</b> <b>Sore throat warning</b> ■ if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly <b>Do not use</b> ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <b>Ask a doctor before use if you have</b> ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ cough that occurs with too much phlegm (mucus)	
<b>Drug Facts (continued)</b> <b>Stop use and ask a doctor or dentist if</b> ■ cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens <b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ adults and children 12 years of age and older: take 2 lozenges (one immediately after the other) every 4 hours as needed. Allow each lozenge to dissolve slowly in the mouth. ■ do not take more than 12 lozenges in any 24-hour period, or as directed by a doctor ■ children under 12 years of age: do not use	
<b>Other information</b> ■ store at 20°-25°C (68°-77°F)	
<b>Inactive ingredients</b> acetate, ascorbyl palmitate, beta carotene, carmine color, corn syrup, di-glycyl terephthalate, glycerin, maltodextrin, medium-chain triglycerides, natural flavors, natural grade A honey, propylene glycol, purified water, soy lecithin, sucralose, sucrose, sunflower oil	
<b>Questions or comments?</b> call weekdays from 8 am to 6 pm EST at 1-800-245-1040	



ADULT

# Robitussin

## Honey MEDI-SOOTHERS

ADULT

HALEON

# Robitussin



**MEDI-SOOTHERS**  
 DEXTROMETHORPHAN HBr 5 mg (Cough Suppressant)  
 MENTHOL 5 mg (Oral Anesthetic)

**Cough + Sore Throat**

*Taste the Real Honey*

- ✓ Relieves Cough for up to 4 HOURS
- ✓ Relieves Sore Throat Pain



Honey Lemon Flavor

For Ages 12+

Not Actual Size **16 MEDICATED LOZENGES**

ADULT

# Robitussin

*Taste the Real Honey*

**Keep caution for complete information. Do not use if blister is broken or damaged.**

Distributed by: Haleon, Warren, NJ 07059  
 For most recent product information, visit [www.robitussin.com](http://www.robitussin.com)  
 Trademarks owned or licensed by Haleon.  
 ©2024 Haleon or licensee.  
 Pat. Info [www.productinfo.com](http://www.productinfo.com) 215466

ADULT

# Robitussin

*Taste the Real Honey*

**PARENTS:**  
 Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

*Taste the Real Honey*