Drug Facts	Drug Facts (continued)	Drug Facts (continued)
Active ingredients Purposes Potassium nitrate 5%Antihypersensitivity	pain/sensitivity still persists after 4 weeks of use.  Keep out of reach of children. If more than used for brushing	Spit out after brushing.  • children under 12 years of age: Consult a dentist or doctor.
Sodium fluoride 0.25% (0.15% w/v fluoride ion)Anticavity	is accidentally swallowed, get medical help or contact a Poison Control Center right away.	<b>Other information</b> • do not store above 25°C (77°F)
Uses  • builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact.  • aids in the prevention of dental cavities.  Warnings	Directions  • adults and children 12 years of age and older: • apply at least a 1-inch strip of the product onto a soft bristle toothbrush. • brush teeth thoroughly for at least 1 minute twice a day	Inactive ingradients water, sorbitol, hydrated silica, glycerin, pentasodium triphosphate, PEG-8, sodium lauryl sulfate, flavor, alumina, itanium dioxide, xanthan gum, cocamidopropyl betaine, sodium hydroxide, carrageenan, sodium saccharin
Stop use and ask a dentist if  the problem persists or worsens. Sensitive teeth may indicate	order teem thoroughly for at least 1 filling twice a day     (morning and evening), and not more than 3 times a day, or     as recommended by a dentist or doctor. Make sure to brush	Questions or comments? 1-866-844-2797
a serious problem that may need prompt care by a dentist.	all sensitive areas of the teeth. Minimize swallowing.	ALWAYS FOLLOW THE LABEL 62000000216293