Drug Facts Drug Facts (continued) Directions **Active ingredient** Purposes · adults and children 12 years of age and older: apply at least a 1-inch strip of the product onto a soft bristle toothbrush. brush teeth thoroughly for at least 1 minute twice a day (morning and evening), and not more Uses than 3 times a day, or as recommended by a dentist or doctor. Make sure to brush all sensitive · aids in the prevention of dental cavities. areas of the teeth. Minimize swallowing. Spit out after brushing. • builds increasing protection against painful sensitivity of the teeth to cold. heat. acids. sweets. children under 12 years of age: Consult a dentist or doctor. or contact Other information Warnings products containing stannous fluoride may produce surface staining of the teeth. Adequate toothbrushing Stop use and ask a dentist if may prevent these stains which are not harmful or permanent and may be removed by your dentist. the problem persists or worsens. Sensitive teeth may indicate a serious problem that may need this product is specially formulated to help prevent staining.
do not store above 30°C (86°F) prompt care by a dentist. **Inactive ingredients** glycerin, PEG-8, hydrated silica, pentasodium triphosphate, flavor, · pain/sensitivity still persists after 4 weeks of use. sodium Jauryl sulfate, titanium dioxide, polyacrylic acid, sodium saccharin, cocamidopropyl betaine Keep out of reach of children. If more than used for brushing is accidentally swallowed, get Questions or comments? 1-866-844-2797 medical help or contact a Poison Control Center right away. ALWAYS FOLLOW THE LABEL