

READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE.
KEEP CARTON FOR REFERENCE. DO NOT DISCARD.

Drug Facts

Active ingredients (in each packet)

Active ingredients (in each packet)	Purposes
Acetaminophen 1000 mg.....	Pain reliever/Fever reducer
Chlorpheniramine maleate 4 mg.....	Antihistamine
Dextromethorphan HBr 30 mg.....	Cough suppressant

Uses

- temporarily relieves these symptoms due to a common cold or flu:
 - headache
 - minor aches and pains
 - cough due to minor throat and bronchial irritation
 - minor sore throat pain
 - runny nose
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening • blisters • rash
- If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

- Do not use**
- in a child under 12 years of age
 - if you are allergic to acetaminophen
 - with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present
 - new symptoms occur
 - cough comes back or occurs with rash or headache that lasts
- These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed

- take every 6 hours, while symptoms persist. Do not take more than 3 packets in 24 hours unless directed by a doctor.

Age	Dose
adults and children 12 years of age and over	one packet
children under 12 years of age	do not use

- dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- if using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

Other information

- each packet contains: potassium 5 mg, sodium 22 mg
- phenylketonurics: contains phenylalanine 12.9 mg per packet
- store at a controlled room temperature at 20 – 25°C (68 – 77°F)

Inactive ingredients acesulfame potassium, anhydrous citric acid, aspartame, D&C yellow no. 10, FD&C blue no. 1, FD&C red no. 40, maltodextrin, natural and artificial flavors, silicon dioxide, sodium citrate, soy lecithin, sucrose, tribasic calcium phosphate

Questions or comments? 1-855-328-5259

**TAMPER EVIDENT INNER UNIT
DO NOT USE IF SEALED THERAFLU
PACKET IS TORN OR BROKEN**

1-855-328-5259

Distributed by: Haleon

Warren, NJ 07059

©2022 Haleon group of companies or its licensor.

Trademarks are owned by or licensed to the Haleon group of companies. 62000000202118

FLU RELIEF MAX STRENGTH* NIGHTTIME

MULTI-SYMPTOM FLU RELIEF

HALEON

THERAFLU

FLU RELIEF MAX STRENGTH*

NIGHTTIME

Acetaminophen
Pain Reliever/Fever Reducer

Chlorpheniramine Maleate
Antihistamine

Dextromethorphan HBr
Cough Suppressant

Hot liquid therapy
that relieves:

- Fever
- Body ache
- Headache
- Sore throat pain
- Cough
- Runny nose

Honey Lemon Flavor

6 PACKETS

USE AS DIRECTED

**HOT LIQUID
THERAPY**
that relieves:



Fever



Body ache



Headache



Sore throat pain



Cough



Runny nose

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

*Maximum Strength per 6 hour dose
**Temporarily controls cough to help you rest. This is not a sleep aid



CODE 128 REF. IS:

00202118

LOT NO.

EXP. DATE

