



**Contains acetylsalicylic acid
and other ingredients**

**Content de l'acide acétylsalicylique
et d'autres ingrédients**

Drug Facts / Info-médicament	
Active ingredients (in each caplet)	
Acetylsalicylic acid (ASA) 500 mg (NSAID)*	Purposes
Methocarbamol 400 mg	Muscle relaxant
*nonsteroidal anti-inflammatory drug	
Ingrediénts actifs (dans chaque caplet)	
500 mg d'acide acétylsalicylique (ASA) (AINS)*	Analgésique
400 mg de méthocarbamol	Relaxant musculaire
*anti-inflammatoire non stéroïde	
Warnings Reye's syndrome Do not give to children and teenagers under 18 years of age who have chicken pox, cold or flu symptoms. ASA is reported to be linked to Reye's Syndrome, a rare but serious illness.	
Stomach bleeding warning •ASA may cause severe stomach bleeding •Stop use and get medical help right away if you: •feel faint •vomit blood •have bloody or black stools •have stomach pain that does not get better •Do not take other products containing ASA, salicylates or NSAIDs without a doctor's advice.	
Minor heart attack •ASA may cause a severe allergic reaction including •skin rash or hives •face swelling •wheezing •trouble breathing •If an allergic reaction occurs get medical help right away •Do not use if you: •are allergic to ASA, salicylates or other NSAIDs •have asthma brought on by ASA, salicylates or other NSAIDs.	
Do not use if you: •have or have had an ulcer •are prone to bleeding •have liver or kidney disease •are in the last trimester of pregnancy •use methotrexate 15 mg/week or more	
Ask a doctor or pharmacist before use if you: •have strong problems such as heartburn •asthma •high blood pressure •heart disease •cold •severe anemia •any other serious condition •take 3 or more alcoholics ►	

